
Name



"Good Buddies" ProjectWILD Activity

Elements of any ecological system live in an intricate web of interdependence. When two species of organisms live in close association with each other, their relationship is called "symbiotic." In a symbiotic relationship, at least one of the organisms directly benefits from its close association with the other organism. There are three major forms of symbiotic relationships: commensalisms, mutualism, and parasitism.

Define the following terms:

- 1. Commensalism _____
- 2. Mutualism _____
- 3. Parasitism _____

Procedure:

- Working in pairs, decide who each organism forms a symbiotic relationship with. You will need to <u>cut</u> and <u>paste</u> the matching organisms and descriptions into the given chart. Then, identify the type of symbiotic relationship it is by circling the correct answer.
- > You will want to CHECK YOUR ANSWERS with me before pasting!!!!

ORGANISM	MATCHING ORGANISM	DESCRIPTION	RELATIONSHIP
GAZELLE			Commensalism Mutualism Parasitism
CUCKOO			Commensalism Mutualism Parasitism
YUCCA			Commensalism Mutualism Parasitism

ARMY ANTS		Mutualism Parasitism Commensalism Mutualism
REMORA		Parasitism
OXPECKER		Commensalism Mutualism Parasitism
MISTLETOE		Commensalism Mutualism Parasitism
BARNACLE		Commensalism Mutualism Parasitism

COWBIRD	Commensalism Mutualism Parasitism
FLEA	Commensalism Mutualism Parasitism
DEER	Commensalism Mutualism Parasitism
HERMIT CRAB	Commensalism Mutualism Parasitism
MARIBOU STORK	Commensalism Mutualism Parasitism
HONEYGUIDE BIRD	Commensalism Mutualism Parasitism

SHARK	BISON	OSTRICH	WARBLER
SILVERFISH	MOUSE	YUCCA MOTH	WHALE
WRASSE FISH	ТІСК	SPRUCE	RHINO
BEE	BADGER	SHELL	

As Species A walks through grass, insects become active and are seen and eaten by Species B .	Species A alerts and directs Species B to bee hives. Species B then exposes the hives and feeds on the honey first. Next Species A eats the honey.	Species A feeds on the parasites found on Species B's body.
Species A extracts water and nutrients from Species B to Species B's detriment.	Species A feeds on Species B's blood to Species B's detriment.	Species A uses its saw- like bill to cut up the dead animals it eats. As a result, the dead animal carcass is accessible to Species B for food and egg laying.
Species A lives and hunt with Species B , and both have access to the prey.	Species A attach themselves to Species B's body. They then travel with Species B and feed on leftover food scraps from Species B's meal.	Species A and Species B feed next to each other. They both watch for predators and alert each other to danger. They each see predators the other wouldn't see.
Species A lives in a specific body part of Species B that Species B has abandoned.	Species A creates home sites by attaching itself to Species B .	Species A feeds on Species B's blood to Species B's detriment.
Species A feeds on the ticks found on Species B.	Species A may lay its eggs in Species B's nest. Species A's young will displace Species B's young, and Species B will raise Species A's young.	Species A is pollinated by Species B . Species B lay their eggs in the flowers where larvae hatch and eat some of the developing seeds.